



Rapid Spill Control Pty Ltd

1 Blackfriar Pl

Wetherill Park

NSW 2164

www.rapidspillcontrol.com.au

MATERIAL SAFETY DATA SHEET

SECTION 1 – PRODUCT IDENTIFICATION

Product Name Chemical/Oil/Fuel Absorbent

Chemical Description Mixture of surface-active agent and pigment in Polypropylene matrix.

Use: absorbent or Wiper for universal liquid

Emergency Phone Number: +61 2 9725 5640

SECTION 2 – COMPOSITION

Polypropylene, Hydrophilic surface-active agent, Blue pigment.

This product contains no substances classified as hazardous to health or the environment in concentrations which should be taken into account according to EC directives.

SECTION 3 – HAZARDOUS INGREDIENT INFORMATION

This product is not hazardous.

SECTION 4 – FIRST AID MEASURES

Eyes

If irritation occurs, flush eyes immediately with large amounts of water for at least 20 minutes and continue flushing until irritation subsides. If redness or irritation persists, contact a physician.

Skin

No hazard in normal use.

If any, flush with large amounts of water, use soap if available.

After contact with the molten product, cool rapidly with large amount of cool water to dissipate heat. Do not pull solidified product off the skin. Cover with clean cotton sheeting or gauze and get prompt medical attention no attempt should be made to remove material from skin to remove contaminated clothing, as the damaged flesh can be easily torn.

Inhalation

N.A.

Ingestion

N.A.



Rapid Spill Control Pty Ltd

1 Blackfriar Pl

Wetherill Park

NSW 2164

www.rapidspillcontrol.com.au

SECTION 5 – FIRE & EXPLOSION HAZARD

FLASHPOINT > 250 degree C

FLAMMABLE LIMITS N.A

AUTOIGNITION TEMPERATURE 435 degree C

GENERAL HAZARD

Solid material, may burn at or above the flashpoint, and airborne dust may explode if ignited.

Toxic gases will form upon combustion.

FIRE FIGHTING

Use water spray to cool fire exposed surface and protect personnel.

Isolate fuel supply from fire.

Respiratory and eye protection required for fire fighting personnel.

DECOMPOSITION PRODUCTS UNDER FIRE CONDITIONS

Oxygen-lean conditions may produce carbon monoxide and irritating smoke.

SECTION 6 – ACCIDENTAL RELEASE

Steps to be taken in case material is released or spilled N.A.

SECTION 7 – PHYSICAL AND CHEMICAL PROPERTIES

	Polypropylene
Form	Fiber
Color	Blue
Melting Point	155-165 degree C
Specific Gravity (Water = 1)	0.91
Solubility in Water	soluble
Vapor Pressure (Air = 1)	N.A.
Vapor Density	N.A.
Evaporation Rate	N.A.
Hydrophilic	

SECTION 8 – STABILITY AND REACTIVITY

Stability Stable

Hazardous Polymerization N.A.

Hazardous Decomposition Products None.

SECTION 9 – TOXICOLOGICAL INFORMATION

Reported Human Effects



Rapid Spill Control Pty Ltd

1 Blackfriar Pl

Wetherill Park

NSW 2164

www.rapidspillcontrol.com.au

No primary dermal irritation human patch tests have been carried out with this product.

Reported Animal Effects

No animal toxicity studies have been carried out with this product.

SECTION 10 – TRANSPORTATION

All rolls are made with strict dimensional tolerance specifications. However, it is possible for the rolls to shift, shrink, or otherwise change dimensions to a maximum of +/-0.5% during handling or shipment.

SECTION 11 – STORAGE

Keep dry.

Avoid storing near strong oxidizers.

Avoid sources of ignition.

Use caution when stacking to avoid unstable conditions.

Store at ambient temperature.

Store at atmospheric pressure.

Store in a sprinkler system warehouse.

SECTION 12 - OTHER INFORMATION

12.1 OTHER INFORMATION

12.2 CONTACT POINTS

ORGANISATION	LOCATION	TELEPHONE	ASK FOR
Spill Station Aust. Pty Limited	Wetherill Park NSW	1300 66 42 66	Technical Officer
Poisons Information Centre	Westmead	131126	

DISCLAIMER:

The information given in this data sheet is to the best of our knowledge, true and accurate, but any recommendations or suggestions that may be made are without guarantee, since the conditions of use are beyond our control. The information and recommendations offered are for the user's consideration and is the user's responsibility to satisfy themselves that they are suitable and complete for their purpose. We recommend that the safety and handling information presented in this data sheet be passed on, in an appropriate format, to your customers and handlers.